



检测报告

INSPECTION REPORT

No IR (2017) HJ0235

项目名称 环县声环境质量现状普查检测

检测类别 委托检测

委托单位 庆阳万庆环保技术咨询有限公司

甘肃中德检验检测技术有限公司

声 明 事 项

- 1 检测报告无检测单位的红色“检验检测专用章”无效，无 CMA 章无效，无骑缝章无效；
A test report without the red "Special seal for inspection and detection" of the test unit is invalid , without CMA is invalid, and without seal is invalid;
- 2 复制未加盖红色“检验检测专用章”无效；
Duplicate copy without affixing a red "Special seal for inspection and detection" is invalid;
- 3 检测报告无编制（或主检）、审核、批准人签字无效；
A test report without compiling (or checking), auditing, the signature of approver is invalid;
- 4 检测报告涂改无效；
A test report which has been altered is invalid;
- 5 检测报告若有异议,请在收到报告之日起 15 日内向相关单位提出，逾期恕不受理；
If there is objection about the test report, please put it forward to relevant units within 15days from the date of receiving the report. And it will not be accepted when time is late;
(1) 委托检测，请向检测单位提出异议
If do commission test, please raise an objection to the test unit .
(2)抽查检测，请向下达抽查任务的单位提出异议
If do random test, please raise an objection to the unit what issued the testing task .
- 6 检测结果仅对来样负责。
Test results are only responsible for samples.





检验检测机构 资质认定证书

证书编号: 172821240422

名称: 甘肃中德检验检测技术有限公司

地址: 庆阳市西峰区庆化大道 58 号

经审查, 你机构已具备国家有关法律、行政法规规定的基本条件和能力, 现予批准, 可以向社会出具具有证明作用的数据和结果, 特发此证。资质认定包括检验检测机构计量认证。

检验检测能力及授权签字人见证书附表。

许可使用标志



172821240422



发证日期: 2017 年 1 月 18 日

有效期至: 2023 年 1 月 17 日

发证机关:



本证书由国家认证认可监督管理委员会监制, 在中华人民共和国境内有效。



图一检测点位图

甘肃中德检验检测技术有限公司

检 测 报 告

№ IR (2017) HJ0235

项目名称	环县声环境质量现状普查检测		
委托方	庆阳万庆环保技术咨询有限公司		
检测类别	噪 声	仪器设备	多功能声级计 (AWA6228+)
检测依据	《声环境质量标准》 GB 3096-2008		
备注	样品来源: 现场检测; 检测日期: 2017 年 10 月 24-2017 年 10 月 29 日		
检 测 结 果			
具体检测结果见下页			
 (检验检测专用章) 日期: 2017 年 11 月 01 日			
主 检	李 丽	审 核	李 清 连
		批 准	田 永 亮

甘肃中德检验检测技术有限公司

噪声检测结果

№ IR (2017) HJ0235

表一 区域噪声现状检测结果

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	SD		
1	魏家坂	2017-10-24 08:53:49	E:107°15'22.14" N:36°37'17.46"	400m	17700m ²	居民区	1	昼间	59.7	62.5	58.3	55.7	73.3	52.8	3.6	
		2017-10-25 21:57:32					1	夜间	49.1	52.5	44.0	36.9	71.2	29.0	6.4	
2	范家湾	2017-10-24 09:15:51	E:107°15'34.14" N:36°37'06.48"	400m	40000m ²	居民区	3	昼间	59.5	61.1	59.3	56.6	75.2	53.9	2.1	
		2017-10-27 01:45:08					4	夜间	33.2	33.0	29.4	27.9	51.9	25.6	3.3	
3	范家湾	2017-10-24 10:34:57	E:107°15'44.70" N:36°36'53.96"	400m	45000m ²	耕地	4	昼间	53.0	55.2	51.8	48.4	65.8	43.8	2.8	
		2017-10-28 02:20:41					4	夜间	48.0	37.5	32.0	28.4	81.0	25.4	4.4	
4	范家湾	2017-10-24 10:54:03	E:107°15'34.45" N:36°36'44.76"	400m	4400m ²	耕地	4	昼间	53.6	56.0	51.4	47.4	72.5	42.6	3.6	
		2017-10-28 02:32:45					4	夜间	42.5	36.8	31.6	28.0	71.8	25.0	4.6	
5	黄瓜子	2017-10-24 10:00:23	E:107°15'55.00" N:36°36'41.86"	400m	32000m ²	平地	1	昼间	55.1	58.1	52.9	47.3	69.4	42.4	4.0	
		2017-10-28 01:05:33					1	夜间	45.1	49.5	36.9	30.0	63.5	30.0	7.3	
6	黄瓜子	2017-10-24 10:23:41	E:107°15'43.66" N:36°36'31.19"	400m	600m ²	小河沟	1	昼间	57.4	59.9	49.7	44.5	78.6	41.4	6.0	
		2017-10-27 23:48:41					1	夜间	48.1	30.0	30.0	30.0	73.9	30.0	4.7	
7	黄瓜子	2017-10-24 11:06:51	E:107°17'16.08" N:36°35'03.26"	400m	2200m ²	居民	4	昼间	49.6	50.6	47.5	44.6	75.4	41.6	3.0	
		2017-10-27 01:59:36					4	夜间	41.2	43.4	35.9	32.4	63.8	30.7	4.8	
8	五里屯村	2017-10-24 11:36:54	E:107°16'04.74" N:36°36'17.25"	400m	2000m ²	居民	4	昼间	56.7	56.9	50.4	43.6	80.8	39.7	5.5	
		2017-10-27 02:24:11					4	夜间	41.9	45.2	38.9	34.2	61.6	30.7	4.6	
9	崔阴山底	2017-10-28 10:15:21	E:107°15'38.89" N:36°36'09.75"	400m	500m ²	居民区	4	昼间	39.3	41.3	35.8	31.5	60.8	28.2	4.0	
		2017-10-26 00:49:28					4	夜间	32.1	31.8	26.7	25.0	59.7	23.3	3.6	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00~22:00) 夜间 (22:00~6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果						备注		
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}		L _{min}	SD
10	五里屯村	2017-10-24 10:26:35	E:107°16'14.51" N:36°36'22.93"	400m	53000m ²	居民楼	1	昼间	56.1	60.8	44.0	39.4	71.6	35.8	8.5	
		2017-10-28 01:17:32						夜间	45.2	50.6	34.0	30.0	58.1	30.0	7.7	
11	五里屯村	2017-10-24 11:36:46	E:107°16'05.27" N:36°36'13.90"	400m	1200m ²	自来水厂	4	昼间	44.3	44.6	41.4	39.5	67.8	36.8	2.6	
		2017-10-27 23:04:00						夜间	40.1	45.0	32.3	30.0	56.0	30.0	5.9	
12	崔阴山底	2017-10-27 09:42:52	E:107°15'52.21" N:36°36'02.35"	400m	20000m ²	耕地	4	昼间	38.9	40.8	35.5	30.8	60.3	27.0	4.4	
		2017-10-26 01:24:49						夜间	30.4	33.4	27.2	25.3	48.4	23.0	3.6	
13	崔阴山	2017-10-24 12:07:24	E:107°16'19.70" N:36°36'07.47"	400m	40000m ²	居民	4	昼间	52.7	53.5	46.0	41.9	80.7	38.6	5.0	
		2017-10-27 02:58:39						夜间	43.0	46.4	40.3	34.5	61.1	29.8	4.9	
14	废养猪厂	2017-10-24 12:43:43	E:107°16'10.14" N:36°36'00.74"	400m	18000m ²	荒地	4	昼间	58.0	52.6	44.4	41.5	86.6	39.2	5.5	
		2017-10-26 23:14:53						夜间	42.3	41.1	35.7	33.2	61.9	30.8	4.1	
15	崔阴山底	2017-10-27 14:46:00	E:107°15'58.98" N:36°35'46.45"	400m	500m ²	荒地	4	昼间	39.3	41.3	35.8	31.5	60.8	28.2	4.0	
		2017-10-26 01:00:48						夜间	30.5	35.0	26.4	24.2	43.8	22.3	4.2	
16	五里屯村	2017-10-24 11:42:17	E:107°16'35.37" N:36°36'01.25"	400m	45000m ²	耕地	4	昼间	49.5	52.0	48.2	45.0	66.0	41.9	2.8	
		2017-10-28 03:58:11						夜间	41.6	41.1	34.9	32.7	69.0	29.1	4.4	
17	五里屯村	2017-10-24 12:05:04	E:107°16'23.45" N:36°35'4.06"	400m	54000m ²	荒地	4	昼间	46.9	49.6	45.4	42.4	63.0	39.8	2.9	
		2017-10-28 04:12:40						夜间	44.3	38.9	34.9	33.0	73.2	30.1	3.9	
18	五里屯村	2017-10-24 12:34:42	E:107°16'12.30" N:36°35'31.7"	400m	1400m ²	耕地	4	昼间	45.0	45.6	39.6	36.8	69.7	34.2	4.0	
		2017-10-28 04:34:40						夜间	45.1	41.4	36.4	33.3	72.5	30.8	4.2	
19	城东沟台	2017-10-24 10:14:09	E:107°16'46.18" N:36°35'51.11"	400m	455000m ²	商铺	2	昼间	57.9	60.5	54.5	48.8	76.3	42.6	4.8	
		2017-10-26 02:35:28						夜间	33.6	35.9	30.8	28.4	57.4	25.4	3.5	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格代码	测点名称	检测时间	经纬度	网格边长	建成区面积	检测点参照物	声源代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
20	三里湾组	2017-10-24 14:11:04	E:107°16'33.28" N:36°35'38.55"	400m	31000m ²	居民区	4	昼间	50.3	52.0	44.7	35.8	75.5	25.4	6.5	
		夜间						36.0	35.3	30.2	28.3	62.3	26.1	3.5		
21	黄山根底	2017-10-27 12:24:46	E:107°16'23.02" N:36°35'26.72"	400m	300m ²	耕地	4	昼间	44.1	46.4	39.2	35.7	67.9	31.6	4.8	
		夜间						39.9	42.1	34.8	31.2	61.7	29.1	4.6		
22	城东沟	2017-10-24 13:02:43	E:107°16'59.09" N:36°35'40.21"	400m	105000m ²	砖厂	2	昼间	44.2	47.0	39.4	37.0	62.2	34.9	4.2	
		夜间						41.6	40.6	36.6	34.1	74.4	30.9	3.1		
23	五里屯	2017-10-24 16:11:33	E:107°16'45.61" N:36°35'28.30"	400m	4000m ²	居民	4	昼间	49.8	49.0	39.3	35.4	64.1	33.1	6.2	
		夜间						40.8	38.3	34.3	33.3	69.9	31.8	3.2		
24	黄山根底	2017-10-28 12:12:53	E:107°16'32.69" N:36°35'19.07"	400m	1200m ²	田地	4	昼间	43.0	45.5	38.7	35.3	67.4	31.7	4.4	
		夜间						39.6	42.4	36.5	32.5	61.7	28.8	4.3		
25	黄山根底	2017-10-26 18:11:47	E:107°16'17.78" N:36°35'12.65"	400m	4300m ²	田地	4	昼间	45.7	43.8	32.1	28.5	73.3	26.4	7.1	
		夜间						41.1	43.4	39.7	36.4	55.8	31.7	2.7		
26	郝山茆	2017-10-24 15:07:55	E:107°17'07.20" N:36°35'28.30"	400m	80000m ²	居民楼	3	昼间	59.0	53.5	41.8	36.7	80.5	33.2	7.6	
		夜间						46.7	48.0	39.2	34.2	74.8	31.3	5.5		
27	红星村	2017-10-26 05:20:51	E:107°16'54.57" N:36°35'19.29"	400m	18000m ²	农家乐	4	昼间	51.2	53.8	47.5	43.6	66.9	41.0	4.0	
		夜间						43.5	46.7	34.5	34.0	59.6	30.0	6.7		
28	黄山根底	2017-10-27 14:33:39	E:107°16'12.30" N:36°35'31.7"	400m	0m ²	田地	4	昼间	44.7	46.9	39.9	36.4	68.9	32.2	4.6	
		夜间						40.7	43.9	37.8	33.2	60.7	29.7	4.3		
29	黄山根底	2017-10-27 09:50:34	E:107°16'31.98" N:36°35'05.46"	400m	200m ²	农田	4	昼间	45.7	43.7	38.7	36.7	67.2	35.0	4.5	
		夜间						44.1	43.3	36.1	32.1	70.1	26.6	5.3		
备注		声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声声源主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。														

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
30	张滩滩村	2017-10-27 11:56:14	E:107°16'51.53" N:36°35'00.52"	400m	1000m ²	田地	4	昼间	45.5	45.7	34.5	31.0	68.8	27.6	6.5	
		2017-10-25 04:22:40	夜间					44.3	44.4	37.3	33.2	68.2	28.6	5.1		
31	张滩滩村	2017-10-28 13:08:21	E:107°16'33.27" N:36°34'46.96"	400m	17500m ²	居民区	4	昼间	45.6	47.2	40.6	37.6	63.4	35.8	4.2	
		2017-10-26 23:51:52	夜间					43.7	43.7	36.3	32.2	69.0	26.8	5.2		
32	环县宋塔	2017-10-25 12:14:38	E:107°17'15.99" N:36°35'03.15"	400m	107000m ²	宋塔公园	4	昼间	47.5	49.7	46.3	44.1	62.6	41.6	3.1	
		2017-10-26 04:31:15	夜间					41.4	40.5	35.2	32.8	71.6	30.5	3.8		
33	012乡道 边	2017-10-27 11:06:50	E:107°16'56.67" N:36°34'43.48"	400m	110000m ²	居民区	1	昼间	56.4	59.4	51.3	41.4	78.3	32.6	7.1	
		2017-10-26 22:57:07	夜间					46.2	44.7	38.8	34.1	75.4	28.0	4.9		
34	城北路	2017-10-25 12:44:13	E:107°17'16.28" N:36°34'48.68"	400m	142000m ²	森源汽源	2	昼间	57.5	57.7	52.2	48.1	85.1	43.4	4.5	
		2017-10-27 22:41:04	夜间					38.9	41.4	37.0	34.7	56.2	32.7	2.9		
35	河对坡	2017-10-25 09:02:30	E:107°17'00.54" N:36°34'31.32"	400m	54000m ²	居民区	1	昼间	56.0	58.9	47.7	37.6	77.5	32.5	8.4	
		2017-10-27 22:30:59	夜间					46.9	48.2	40.7	37.8	65.0	36.2	4.5		
36	环县一中 家属楼	2017-10-25 10:59:56	E:107°17'44.24" N:36°34'53.89"	400m	158200m ²	环县一中	4	昼间	51.4	50.7	44.6	41.8	73.9	36.4	4.5	
		2017-10-25 22:04:19	夜间					43.7	47.3	39.5	31.8	63.8	26.0	5.8		
37	灵武路东 北200处	2017-10-25 09:39:54	E:107°17'30.34" N:36°34'46.88"	400m	145000m ²	拆迁废墟	1	昼间	55.5	58.1	51.2	45.5	78.1	40.4	5.4	
		2017-10-27 03:53:24	夜间					45.4	45.8	39.7	35.6	74.0	32.7	4.6		
38	康润嘉苑 东40m	2017-10-25 11:29:11	E:107°17'19.33" N:36°34'34.58"	400m	80000m ²	居民楼	1	昼间	57.8	59.2	55.2	51.2	80.0	48.0	4.4	
		2017-10-27 23:34:04	夜间					35.1	33.7	28.8	24.4	63.9	21.7	4.0		
39	河对坡	2017-10-28 12:30:59	E:107°17'10.62" N:36°34'19.34"	400m	80000m ²	居民区	4	昼间	46.9	48.2	40.7	37.8	65.0	36.2	4.5	
		2017-10-25 23:05:31	夜间					45.1	44.1	38.4	33.7	74.2	27.6	4.7		
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声声源主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果						备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}		L _{min}
40	小区建筑场 地	2017-10-25 11:29:58	E:107°17'56.68" N:36°34'44.05"	400m	159000m ²	北京尼克国际英语学校 (环县分校)	3	昼间	58.8	60.3	50.3	44.9	79.8	39.9	6.6
		2017-10-25 22:30:05						夜间	55.0	55.6	44.2	34.4	79.5	26.0	8.4
		2017-10-25 11:52:41						昼间	49.9	53.5	42.9	39.2	65.4	37.8	5.4
41	红星村	2017-10-28 00:44:50	E:107°17'44.33" N:36°34'33.74"	400m	160000m ²	居民楼	4	夜间	43.9	47.1	40.9	30.0	58.1	30.0	6.3
		2017-10-25 15:55:53						昼间	58.3	60.2	54.9	52.1	75.3	50.0	4.2
		2017-10-25 23:50:12						夜间	34.4	31.5	27.3	25.2	65.4	23.2	3.4
42	环江茗都	2017-10-28 11:44:46	E:107°17'20.63" N:36°34'11.42"	400m	100000m ²	居民区	4	昼间	46.1	46.4	35.0	31.7	69.5	28.2	6.6
		2017-10-27 23:58:23						夜间	45.4	44.2	37.1	33.0	71.5	27.5	5.1
		2017-10-25 09:29:16						昼间	52.6	48.4	42.1	37.2	82.7	33.6	5.4
43	河对坡	2017-10-26 03:26:18	E:107°18'04.34" N:36°35'30.28"	400m	160000m ²	居民区	4	夜间	32.9	34.8	30.8	28.8	46.1	26.4	3.1
		2017-10-25 11:15:58						昼间	65.9	69.2	63.4	60.2	76.4	57.7	3.5
		2017-10-27 22:22:58						夜间	54.2	55.4	51.5	48.8	71.2	42.5	3.1
44	红星村	2017-10-25 16:18:33	E:107°17'39.70" N:36°34'14.08"	400m	130000m ²	居民楼	1	昼间	65.1	65.3	58.6	53.3	95.5	44.4	5.6
		2017-10-25 23:38:06						夜间	37.3	31.0	26.3	24.4	67.4	23.0	4.3
		2017-10-25 10:29:39						昼间	51.5	52.8	42.3	38.3	74.6	33.5	6.2
45	环江地中 海	2017-10-27 23:16:44	E:107°18'15.58" N:36°34'25.32"	400m	142000m ²	气象站	4	夜间	33.1	35.3	30.5	26.7	52.3	23.6	3.6
		2017-10-25 16:39:44						昼间	63.2	63.3	58.5	54.8	87.1	51.2	4.5
		2017-10-25 00:00:43						夜间	34.5	32.2	26.9	25.0	59.2	23.0	4.3
46	药材公司 家属楼	2017-10-27 09:07:59	E:107°17'52.13" N:36°34'05.43"	400m	160000m ²	商业街	4	昼间	54.4	51.3	45.6	42.7	78.6	39.5	4.9
		2017-10-27 03:38:49						夜间	42.1	44.8	37.3	34.3	62.2	32.5	4.7
		备注						声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声声源主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00~22:00) 夜间 (22:00~6:00)。							

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
50	烈士沟巷	2017-10-25 14:02:53	E:107°18'29.07" N:36°34'15.51"	400m	158000m ²	环县广播电 视台	4	昼间	49.1	51.4	43.4	37.1	81.3	31.1	6.1	
		2017-10-26 00:00:11						夜间	47.9	51.2	43.1	35.6	65.7	29.0	6.2	
51	广场路东	2017-10-25 14:51:34	E:107°18'16.56" N:36°34'05.01"	400m	158400m ²	县政府	3	昼间	54.0	57.1	50.5	44.6	75.3	39.4	4.9	
		2017-10-27 02:24:34						夜间	43.5	47.0	40.9	35.0	60.5	30.1	5.0	
52	残联对面	2017-10-26 10:46:15	E:107°18'03.14" N:36°33'54.09"	400m	158400m ²	残联	4	昼间	52.5	55.7	49.4	44.5	72.1	40.6	4.5	
		2017-10-27 03:23:05						夜间	45.7	47.2	44.8	43.6	60.5	41.8	2.3	
53	东台路	2017-10-25 17:40:11	E:107°18'40.49" N:36°34'05.32"	400m	148200m ²	玉玲门市	1	昼间	63.9	66.9	55.3	47.8	86.9	43.7	7.5	
		2017-10-25 23:26:46						夜间	50.4	53.4	46.1	38.0	75.8	28.5	6.2	
54	成业路	2017-10-25 15:37:01	E:107°18'28.54" N:36°33'55.81"	400m	158600m ²	职中教学楼	1	昼间	61.1	58.1	50.9	40.8	81.9	43.1	6.2	
		2017-10-25 22:21:51						夜间	58.1	60.7	51.2	42.2	79.5	33.0	7.7	
55	成业路	2017-10-25 17:31:56	E:107°18'17.52" N:36°33'47.35"	400m	141000m ²	体育馆	4	昼间	53.5	56.5	50.8	47.0	71.0	43.6	4.2	
		2017-10-27 02:11:17						夜间	43.6	43.1	36.6	33.0	76.0	29.6	4.3	
56	环城初中 附近	2017-10-26 18:23:52	E:107°18'52.58" N:36°33'54.87"	400m	142000m ²	弘志教育	1	昼间	63.4	63.8	49.3	43.0	81.9	38.5	8.5	
		2017-10-28 01:00:13						夜间	46.7	33.4	28.5	27.3	80.1	25.1	4.5	
57	环洲路	2017-10-26 10:56:27	E:107°18'40.51" N:36°33'47.23"	400m	143000m ²	淑萍饭店	4	昼间	53.3	56.0	50.7	45.9	71.9	42.2	4.5	
		2017-10-27 22:11:18						夜间	44.4	44.7	42.3	41.2	68.0	39.5	2.3	
58	G211 国道	2017-10-25 17:21:16	E:107°18'30.69" N:36°33'29.69"	400m	96000m ²	岐黄液酒业	2	昼间	57.0	58.8	49.1	46.1	84.8	43.2	5.2	
		2017-10-27 04:14:25						夜间	46.3	49.8	43.1	37.1	65.7	32.1	5.0	
59	白草塬村	2017-10-26 14:58:30	E:107°18'15.83" N:36°33'27.64"	400m	95000m ²	居民区	4	昼间	55.5	58.5	47.6	37.2	74.5	31.4	8.2	
		2017-10-27 22:40:24						夜间	46.0	45.1	39.5	34.8	74.7	28.4	4.7	
备注	声源代码：1、交通噪声；2、工业噪声；3、施工噪声；4、生活噪声；两种以上噪声声源主要噪声；除交通、工业、施工噪声外的噪声，归入生活噪声。昼间（6:00~22:00）夜间（22:00~6:00）。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
60	新艺家园	2017-10-26 14:46:39	E:107°19'02.83" N:36°33'44.05"	400m	120000m ²	环县1#隧道进口	4	昼间	54.1	59.1	46.8	42.4	77.2	37.6	5.6	
		2017-10-27 01:16:11						夜间	45.1	31.9	27.9	26.7	79.1	24.9	4.0	
61	环县凯盛农业	2017-10-26 11:35:19	E:107°18'50.82" N:36°33'37.99"	400m	80000m ²	凯盛农业	2	昼间	59.5	61.3	49.3	44.3	80.7	40.8	6.9	
		2017-10-27 04:28:34						夜间	55.6	57.9	54.4	52.1	68.2	49.9	3.2	
62	环江大道	2017-10-25 17:52:26	E:107°18'39.99" N:36°33'29.69"	400m	132000m ²	电子商务配送中心	2	昼间	59.4	61.9	56.6	53.3	78.4	48.7	3.6	
		2017-10-27 00:30:40						夜间	48.4	45.9	39.5	35.4	81.0	32.8	4.9	
63	公交调度站	2017-10-25 16:58:32	E:107°19'06.49" N:36°33'34.76"	400m	53500m ²	公交调度站	1	昼间	58.3	61.6	55.7	51.4	70.4	46.3	3.9	
		2017-10-28 00:55:11						夜间	48.8	49.8	37.7	32.4	70.6	30.0	6.8	
64	环江煤矿	2017-10-25 17:05:42	E:107°18'57.47" N:36°33'27.71"	400m	40000m ²	环江煤矿	1	昼间	65.2	67.7	61.7	58.7	83.6	54.5	3.6	
		2017-10-26 23:21:29						夜间	54.2	53.9	52.4	50.3	72.4	47.6	2.3	
65	万胜城上城	2017-10-25 17:42:03	E:107°18'43.71" N:36°33'15.83"	400m	116000m ²	万地	1	昼间	64.0	66.2	56.1	50.2	80.9	48.5	6.3	
		2017-10-26 23:05:57						夜间	52.8	54.8	52.2	49.7	59.7	48.2	1.9	
66	七里沟	2017-10-26 15:10:09	E:107°19'36.99" N:36°32'25.32"	400m	106000m ²	住户	4	昼间	54.0	56.2	48.5	44.1	70.8	40.6	5.1	
		2017-10-26 22:54:42						夜间	44.0	45.4	37.3	33.5	69.6	31.2	4.9	
67	鄂家湾	2017-10-26 10:04:34	E:107°19'06.83" N:36°33'16.78"	400m	54000m ²	中国银行对面	4	昼间	50.7	51.7	45.9	42.9	75.5	39.6	4.4	
		2017-10-27 02:13:54						夜间	41.0	43.7	37.7	33.6	64.1	30.9	4.1	
68	检察院对面	2017-10-25 15:26:55	E:107°18'56.32" N:36°33'06.13"	400m	4600m ²	检察院	1	昼间	58.0	60.5	50.4	46.8	83.8	43.2	5.3	
		2017-10-27 05:03:50						夜间	50.9	52.3	49.0	47.7	71.7	46.4	2.6	
69	鄂家湾	2017-10-27 09:18:22	E:107°19'29.44" N:36°33'17.23"	400m	76000m ²	农田	4	昼间	53.3	39.6	38.4	37.8	79.6	36.8	5.2	
		2017-10-27 22:32:40						夜间	46.6	46.3	42.2	40.8	65.5	38.7	3.4	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声声源主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00~22:00) 夜间 (22:00~6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果						备注		
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}		L _{min}	SD
70	鄂家湾	2017-10-26 11:46:24	E:107°19'18.37" N:36°33'7.33"	400m	25000m ²	农田	1	昼间	54.8	56.7	48.6	44.2	82.5	40.7	5.7	
		2017-10-28 01:10:55					夜间	42.7	31.1	29.1	28.0	71.6	26.4	3.9		
71	齐家湾	2017-10-26 14:20:08	E:107°19'08.23" N:36°32'58.17"	400m	4500m ²	工地	3	昼间	53.4	56.6	51.3	46.6	70.1	42.4	4.4	
		2017-10-27 03:27:02					夜间	43.7	45.4	39.4	36.0	72.1	33.0	4.0		
72	鄂家湾	2017-10-26 16:47:10	E:107°19'51.07" N:36°33'04.78"	400m	24000m ²	农田	1	昼间	54.2	56.3	53.2	50.4	71.2	48.3	3.0	
		2017-10-27 22:32:46					夜间	43.8	44.7	42.6	41.2	60.0	39.4	2.2		
73	鄂家湾	2017-10-26 14:59:37	E:107°19'42.59" N:36°32'54.66"	400m	800m ²	东顺二手车交易	4	昼间	57.8	60.1	49.8	44.7	74.4	41.9	6.5	
		2017-10-27 00:51:42					夜间	46.2	49.5	43.1	37.2	64.8	32.7	4.7		
74	甘肃银行	2017-10-25 15:58:53	E:107°19'12.05" N:36°32'43.77"	400m	4000m ²	甘肃银行	1	昼间	59.1	61.4	56.5	52.8	75.4	48.6	3.9	
		2017-10-28 00:56:08					夜间	54.0	37.1	30.3	28.7	89.1	26.9	5.5		
75	会友汽车维修厂	2017-10-26 13:36:25	E:107°20'06.37" N:36°32'54.49"	400m	54000m ²	厂房	4	昼间	48.7	51.1	40.4	43.8	63.8	40.9	3.2	
		2017-10-27 00:29:22					夜间	44.5	48.2	38.8	31.7	61.0	23.4	6.5		
76	天和家园东 200m	2017-10-27 08:42:28	E:107°19'36.70" N:36°32'46.31"	400m	800m ²	天和家园	4	昼间	52.3	45.7	33.5	31.2	82.1	28.9	6.6	
		2017-10-27 23:05:50					夜间	42.8	43.9	42.0	40.1	60.3	38.7	2.4		
77	加气站	2017-10-27 11:43:37	E:107°19'26.69" N:36°32'33.78"	400m	600m ²	荒地	3	昼间	53.2	56.4	50.4	45.9	74.1	41.0	4.3	
		2017-10-26 05:18:40					夜间	42.9	46.4	37.8	32.9	59.4	28.9	5.4		
78	宏信汽修厂	2017-10-24 13:55:34	E:107°19'59.77" N:36°32'44.38"	400m	76000m ²	居民区	1	昼间	55.1	59.0	49.9	42.7	72.8	37.4	6.2	
		2017-10-28 02:26:51					夜间	47.9	49.7	43.9	39.6	70.9	34.4	4.1		
79	环县南街加油站建设项目	2017-10-26 10:06:41	E:107°19'48.27" N:36°32'34.72"	400m	43000m ²	建筑区	3	昼间	58.5	60.8	53.3	48.9	83.2	45.9	5.4	
		2017-10-27 22:48:31					夜间	40.3	43.0	36.4	29.4	59.9	25.9	5.4		
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间(6:00~22:00) 夜间(22:00~6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
80	环县生活 污水处理 厂	2017-10-26 15:42:34	E:107°19'38.10" N:36°32'26.48"	400m	67000m ²	污水处理厂	1	昼间	59.6	62.1	52.0	47.4	75.3	45.1	5.9	
		2017-10-26 03:43:09					夜间	44.1	39.5	32.4	29.5	25.3	27.4	4.7		
81	鲁家寨	2017-10-26 14:38:05	E:107°20'12.92" N:36°32'26.73"	400m	15000m ²	居民区	1	昼间	52.0	54.7	46.5	40.4	72.0	32.9	6.1	
		2017-10-27 00:52:34					夜间	47.0	51.0	42.4	31.4	62.3	25.3	7.8		
82	正硕国际 家居建材 城	2017-10-26 14:58:19	E:107°20'01.12" N:36°32'26.73"	400m	24000m ²	建筑楼	3	昼间	56.7	59.7	54.6	50.6	70.7	45.2	4.0	
		2017-10-27 01:13:44					4	夜间	33.9	30.6	26.1	24.4	61.0	23.2	3.9	
83	南区供热 公司	2017-10-27 15:40:59	E:107°19'49.78" N:36°32'17.43"	400m	40000m ²	供热公司	1	昼间	60.1	61.6	52.8	44.5	79.7	38.0	6.8	
		2017-10-26 00:11:56					4	夜间	35.8	31.8	27.1	25.0	65.3	23.1	4.0	
84	环城镇十 八里村	2017-10-27 14:04:05	E:107°20'22.24" N:36°32'17.43"	400m	112000m ²	居民区	1	昼间	59.3	62.5	50.4	42.4	78.0	38.1	7.9	
		2017-10-27 00:57:17					1	夜间	41.1	43.6	38.1	34.9	64.4	30.8	4.0	
85	环城镇	2017-10-27 15:06:57	E:107°20'11.98" N:36°32'16.86"	400m	12000m ²	农家	4	昼间	43.2	43.0	40.5	39.0	69.4	37.0	3.0	
		2017-10-27 23:44:54					4	夜间	35.6	39.2	33.3	27.9	50.1	25.3	4.1	
86	环县鸳鸯 沟口	2017-10-27 15:27:01	E:107°20'19.38" N:36°32'09.64"	400m	600m ²	林田	3	昼间	48.2	52.3	45.4	41.2	66.9	38.3	4.3	
		2017-10-26 00:37:55					4	夜间	32.1	33.2	26.9	24.9	56.2	22.9	3.9	
87	天银二手 车	2017-10-27 14:25:03	E:107°20'36.80" N:36°32'20.06"	400m	105000m ²	居民区	1	昼间	66.4	68.0	57.1	49.2	91.6	44.6	7.3	
		2017-10-27 22:10:59					1	夜间	53.4	54.8	50.5	48.2	76.7	45.8	3.1	
88	环城镇十 八里村	2017-10-27 14:44:45	E:107°20'26.29" N:36°32'11.05"	400m	800m ²	林田	4	昼间	40.5	42.1	37.7	35.5	64.5	31.9	3.3	
		2017-10-26 00:24:07					4	夜间	38.4	31.6	26.4	24.5	70.6	22.7	3.9	
89	黄场子	2017-10-26 14:35:45	E:107°20'50.45" N:36°32'11.98"	400m	15000m ²	环县基本农田 保障处	1	昼间	47.8	49.2	44.9	41.1	67.5	37.9	3.5	
		2017-10-27 00:39:27					1	夜间	41.9	45.2	38.3	34.3	53.6	32.0	4.3	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声声源主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
90	油松地	2017-10-20 17:02:11	E:107°20'38.98" N:36°32'02.74"	400m	0m ²	油松地	4	昼间	44.0	45.3	43.6	42.3	51.0	40.7	1.3	
		2017-10-27 23:14:24						夜间	40.5	43.6	33.4	30.0	55.6	30.0	5.2	
91	黄场子	2017-10-26 14:57:52	E:107°21'00.07" N:36°32'02.43"	400m	200m ²	信号塔	1	昼间	47.1	50.1	45.7	41.2	60.1	37.6	3.3	
		2017-10-27 23:27:03						夜间	41.8	46.3	36.9	30.0	57.5	30.0	6.0	
92	河湾	2017-10-26 17:12:27	E:107°20'48.14" N:36°31'52.19"	400m	0m ²	河湾	4	昼间	43.7	44.7	43.4	42.0	53.0	40.1	1.3	
		2017-10-27 23:37:07						夜间	40.3	42.6	34.7	30.0	58.3	30.0	4.9	
93	黄场子	2017-10-26 17:50:52	E:107°21'11.85" N:36°31'53.79"	400m	200m ²	土坎	4	昼间	49.0	51.4	46.1	42.0	65.9	38.7	3.9	
		2017-10-27 00:57:21						夜间	43.4	44.4	39.2	35.2	65.3	33.0	3.8	
94	油松地	2017-10-26 17:22:59	E:107°20'59.40" N:36°31'43.41"	400m	0m ²	油松地	4	昼间	41.9	43.4	41.0	38.4	54.3	36.4	2.2	
		2017-10-27 00:27:09						夜间	40.0	38.3	34.4	33.4	61.7	35.3	3.2	
95	四沟门	2017-10-25 15:08:39	E:107°21'23.30" N:36°31'44.30"	400m	1200m ²	沙石厂	1	昼间	50.2	52.2	48.1	43.3	65.6	39.7	3.6	
		2017-10-27 00:16:40						夜间	43.5	43.5	34.5	72.0	63.5	30.1	5.3	
96	槐树村	2017-10-26 17:33:02	E:107°21'12.40" N:36°31'33.48"	400m	2000m ²	槐树村	4	昼间	43.5	45.3	42.5	41.1	55.1	39.6	1.8	
		2017-10-27 01:09:10						夜间	40.5	43.4	39.0	36.3	50.9	33.9	2.6	
97	四沟门	2017-10-27 16:38:30	E:107°21'37.14" N:36°31'37.41"	400m	28400m ²	高铁桥	3	昼间	59.3	62.8	55.5	49.5	77.3	44.0	5.1	
		2017-10-28 00:33:09						夜间	47.5	52.2	44.1	39.0	57.4	30.6	4.9	
98	环县浮生 厂	2017-10-26 16:37:04	E:107°21'26.97" N:36°31'28.50"	400m	10100m ²	环县浮生 厂	4	昼间	48.4	44.1	41.5	39.5	72.5	36.7	3.1	
		2017-10-27 01:26:22						夜间	42.8	30.0	30.0	30.0	68.8	30.0	4.2	
99	四沟门	2017-10-27 15:23:01	E:107° 21' 4037" N:36° 31' 1986"	400m	32000m ²	新营湾小 学	1	昼间	58.3	60.6	55.1	50.3	77.6	45.4	4.1	
		2017-10-26 23:45:46						夜间	48.0	50.7	45.2	34.6	66.2	30.0	6.0	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面 积	检测点 参照物	声源 代码	检测时段及结果						备注		
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}		L _{min}	SD
100	环县网贷 中心	2017-10-27 10:05:58	E:107°21'28.89" N:36°31'10.81"	400m	0m ²	环县网贷中 心	4	昼间	48.1	50.3	47.9	42.7	58.7	35.9	2.9	
		2017-10-27 00:05:35						夜间	41.3	43.5	36.5	31.6	58.2	30.0	4.9	
101	居民点	2017-10-27 15:57:31	E:107°21'51.76" N:36°31'10.10"	400m	40000m ²	居民区	1	昼间	58.7	62.6	53.2	46.8	72.0	42.4	6.0	
		2017-10-28 00:23:01						夜间	47.3	52.9	38.3	30.0	39.1	30.0	8.0	
102	屠宰场	2017-10-27 10:26:05	E:107°21'37.43" N:36°31'02.12"	400m	0m ²	施工屠宰场	3	昼间	57.0	56.5	49.6	46.3	73.5	41.0	4.9	
		2017-10-27 23:58:49						夜间	47.2	50.6	38.7	30.0	66.0	30.0	8.5	
103	新营湾	2017-10-26 19:06:50	E:107°22'03.13" N:36°31'02.59"	400m	80000m ²	建筑工地	3	昼间	55.0	56.7	53.3	50.6	79.5	46.7	2.8	
		2017-10-29 01:05:35						夜间	45.4	42.9	36.6	34.0	73.1	30.9	4.4	
104	新营湾	2017-10-26 19:23:31	E:107°21'53.29" N:36°30'55.77"	400m	800m ²	耕地	2	昼间	53.5	54.7	52.7	50.0	74.5	46.9	2.1	
		2017-10-29 01:27:20						夜间	37.7	40.0	36.0	34.2	53.2	32.2	2.5	
105	新营湾	2017-10-26 19:37:44	E:107°22'20.42" N:36°30'59.54"	400m	25400m ²	耕地	4	昼间	45.7	46.1	31.5	28.8	73.7	26.8	7.4	
		2017-10-28 23:09:50						夜间	38.8	39.6	36.3	34.7	63.7	32.2	2.5	
106	新营湾	2017-10-26 19:46:47	E:107°22'06.53" N:36°30'49.05"	400m	64000m ²	戏台子	4	昼间	53.5	55.8	52.5	50.8	76.2	48.7	3.2	
		2017-10-28 22:45:35						夜间	42.5	42.6	37.2	34.9	66.7	33.0	4.0	
107	刘台	2017-10-27 07:15:55	E:107°22'05.55" N:36°30'43.18"	400m	0m ²	施工现场	2	昼间	52.3	51.4	43.8	40.8	76.7	38.5	5.4	
		2017-10-29 02:04:13						夜间	37.8	39.8	36.5	34.5	53.1	31.9	2.8	
108	武家湾	2017-10-27 08:33:11	E:107°22'30.95" N:36°30'51.47"	400m	3200m ²	耕地	4	昼间	43.8	44.6	40.8	38.9	63.5	37.1	3.4	
		2017-10-28 22:32:58						夜间	40.2	39.6	36.6	34.8	70.8	32.8	2.5	
109	高寨村村 碑	2017-10-26 17:22:19	E:107°22'18.80" N:36°30'38.70"	400m	140000m ²	村碑	1	昼间	58.4	59.6	55.8	54.3	75.1	52.7	3.6	
		2017-10-29 01:3454						夜间	40.5	43.6	35.8	33.3	57.5	30.9	4.2	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区 面积	检测点 参照物	声源 代码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
110	高寨村	2017-10-26 16:41:11	E:107°22'04.37" N:36°30'28.63"	400m	40000m ²	环县西泾工 业集中区上善 路工程二标段	2	昼间	57.1	59.8	55.0	52.3	74.1	50.5	3.5	
		2017-10-29 00:58:02	夜间					53.2	51.8	40.4	35.2	72.9	32.1	7.3		
111	宋家沟	2017-10-27 08:33:11	E:107°22'37.81" N:36°30'38.52"	400m	9800m ²	耕地	4	昼间	43.8	44.6	40.8	38.9	63.5	37.1	3.4	
		2017-10-28 02:51:09	夜间					54.2	57.1	47.1	41.7	74.2	39.0	6.5		
112	高寨村奶 牛场路口	2017-10-26 17:56:02	E:107°22'50.34" N:36°30'29.23"	400m	26000m ²	环县维智门 市	1	昼间	56.6	58.0	54.8	53.5	72.6	51.9	3.1	
		2017-10-28 01:30:34	夜间					45.5	46.6	28.8	27.0	72.1	25.1	8.0		
113	高寨村	2017-10-28 16:29:29	E:107°22'14.33" N:36°30'17.77"	400m	23000m ²	高寨村奶牛 场路碑	1	昼间	55.7	54.4	46.6	44.8	84.5	43.2	4.7	
		2017-10-28 22:09:02	夜间					42.9	42.8	37.2	35.0	67.1	32.8	3.7		
114	李家瓜子	2017-10-26 14:26:17	E:107°22'42.18" N:36°30'16.07"	400m	12000m ²	河边、荒地	1	昼间	56.9	58.7	54.0	52.1	73.3	48.9	3.5	
		2017-10-28 00:17:27	夜间					43.8	43.1	41.8	40.7	70.8	39.3	2.2		
115	高寨村	2017-10-27 08:16:51	E:107°22'32.20" N:36°30'06.63"	400m	32000m ²	养殖场、农 田	1	昼间	55.1	50.3	35.8	32.4	81.7	28.7	8.0	
		2017-10-28 00:39:34	夜间					42.9	44.2	41.8	40.5	62.5	38.6	2.6		
116	中铁北京 局厂区	2017-10-27 08:42:49	E:107°22'54.66" N:36°30'05.10"	400m	1600m ²	中铁北京局	2	昼间	56.9	51.9	41.8	38.8	89.3	36.2	6.3	
		2017-10-25 03:42:50	夜间					45.6	45.2	39.7	35.0	74.3	29.4	4.7		
117	李洼子村	2017-10-27 08:56:47	E:107°22'44.07" N:36°29'56.49"	400m	2300m ²	农田	4	昼间	48.4	51.4	40.5	38.3	75.0	36.7	5.5	
		2017-10-27 04:03:47	夜间					43.5	46.5	40.6	36.1	62.4	32.6	4.1		
118	关营村山 坡洼安置 点	2017-10-26 17:28:02	E:107°23'04.71" N:36°29'55.91"	400m	27000m ²	居民点	4	昼间	47.7	51.7	43.3	32.5	62.4	26.9	7.3	
		2017-10-26 23:14:53	夜间					42.3	41.1	35.7	33.2	73.3	30.8	4.1		
119	高寨村	2017-10-27 08:05:58	E:107°22'54.50" N:36°29'47.25"	400m	1400m ²	农田、河流	4	昼间	48.3	46.2	34.9	30.7	77.1	28.3	6.5	
		2017-10-27 00:40:57	夜间					43.5	46.8	40.8	36.3	62.3	33.1	4.3		
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00-22:00) 夜间 (22:00-6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测 时间	经纬度	网格 边长	建成区面 积	检测点 参照物	声源代 码	检测时段及结果							备注	
								时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}		SD
120	高寨村	2017-10-26 18:52:29	E:107°20'41.93" N:36°29'37.65"	400m	4000m ²	农田、村道	4	昼间	42.7	34.8	31.2	29.6	65.2	27.9	5.2	
		2017-10-26 03:02:03						夜间	40.8	38.3	34.3	33.3	69.9	31.8	3.2	
121	环县良种 羊繁殖中 心	2017-10-26 17:47:14	E:107°23'06.40" N:36°29'40.69"	400m	54000m ²	养殖场	2	昼间	54.4	58.8	45.7	38.1	73.7	31.4	7.8	
		2017-10-27 03:01:02						夜间	49.4	50.4	48.0	46.7	67.6	45.0	2.6	
122	张家湾	2017-10-26 18:37:33	E:107°22'54.47" N:36°29'31.30"	400m	/	农田	1	昼间	57.0	45.4	37.3	33.5	69.6	31.2	4.9	
		2017-10-26 22:54:42						夜间	54.0	42.8	31.0	29.1	76.9	27.2	9.0	
123	关营村起 楼堡村	2017-10-26 18:22:11	E:107°23'11.97" N:36°29'24.30"	400m	/	农田	4	昼间	43.2	38.3	29.2	27.7	63.4	26.1	6.5	
		2017-10-26 22:41:04						夜间	38.9	41.4	37.0	34.7	46.2	32.7	2.9	
124	新营湾桥 梁生产队	2017-10-27 09:32:01	E:107°23'21.65" N:36°29'13.41"	400m	/	211 国道	1	昼间	64.4	40.1	33.1	31.6	79.3	30.4	9.9	
		2017-10-27 02:29:54						夜间	57.2	60.3	56.3	33.6	71.3	31.5	10.6	
备注	声源代码: 1、交通噪声; 2、工业噪声; 3、施工噪声; 4、生活噪声; 两种以上噪声填主要噪声; 除交通、工业、施工噪声外的噪声, 归入生活噪声。昼间 (6:00~22:00) 夜间 (22:00~6:00)。															

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

表二 道路交通噪声监测结果

网格 代码	测点名称	检测时间	经纬度	路段 名称	路段起止点	路段长度	检测时段及结果								车流量, 辆/20min			
							时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}	SD	大型车	中型车	小型车	合计
1	G211 国道	2017-10-24 9:33:27	E:107°5'44.98" N:36°36'40.18"	G211 国道	北外二路-北 外三路	560m	昼间	78.3	81.6	68.6	56.8	103.1	48.5	9.1	54	8	166	228
		2017-10-26 23:39:24					夜间	57.8	60.5	55.1	52.2	76.1	49.4	4.3	21	3	58	82
2	G211 国道	2017-10-24 10:27:29	E:107°6'43.01" N:36°35'38.55"	G211 国 道	南湫路-车道 路	260m	昼间	76.9	79.0	70.9	62.0	104.4	53.1	6.5	49	10	188	247
		2017-10-26 22:07:17					夜间	57.1	59.2	55.3	53.6	71.6	51.8	3.4	23	4	68	95
3	城北路	2017-10-25 9:12:42	E:107°17'18.19" N:36°34'47.94"	城 北 路	灵武南路-环 江大道中段	600m	昼间	68.3	71.6	63.5	55.9	90.4	42.3	6.4	4	6	116	126
		2017-10-25 23:20:06					夜间	52.9	54.6	45.8	38.8	82.5	28.8	6.5	11	2	34	47
4	城北	2017-10-25 13:06:10	E:107°17'24.10" N:36°34'45.46"	灵武 南路	城北路-河东 路	300m	昼间	68.7	71.1	63.6	57.8	89.7	50.3	5.7	0	3	132	135
		2017-10-25 23:32:07					夜间	56.7	57.7	49.1	42.0	86.5	34.6	6.5	0	2	58	60
5	老城街	2017-10-25 10:19:26	E:107°7'42.19" N:36°34'46.59"	老城 街	城东路-学习 巷	172m	昼间	63.6	66.6	56.3	50.8	84.1	43.4	6.5	5	0	27	32
		2017-10-25 22:42:04					夜间	53.6	50.9	42.9	36.6	90.6	28.6	6.2	2	0	16	18
6	供热公司	2017-10-25 11:46:50	E:107°17'17.33" N:36°34'29.88"	环河 公路	无名道路-育 才路	578m	昼间	65.1	68.3	57.9	47.9	82.4	41.7	7.9	20	3	69	92
		2017-10-26 23:48:08					夜间	55.8	57.8	53.4	51.6	77.1	48.9	3.7	3	2	25	30
7	G211 国道	2017-10-25 15:24:07	E:107°17'30.44" N:36°34'29.911"	G211 国道	河对坡路-育 才路	572m	昼间	68.8	71.3	65.7	61.8	87.2	55.8	4.2	52	5	257	314
		2017-10-26 23:24:39					夜间	56.6	59.4	54.4	52.4	72.5	49.9	3.1	23	2	83	108
8	年之味	2017-10-28 10:47:59	E:107°17'40.32" N:36°34'28.10"	育才 路	G211-灵武路	260m	昼间	67.0	68.1	60.8	55.0	87.8	51.3	4.9	2	1	93	96
		2017-10-25 23:49:41					夜间	49.9	54.6	45.5	37.3	60.7	30.0	6.1	0	1	37	38
9	环州路	2017-10-25 9:50:29	E:107°18'33.61" N:36°34'25.64"	环州 路	兴隆路-翼龙 路	612m	昼间	71.2	71.1	66.3	58.9	93.2	48.1	5.9	5	2	298	305
		2017-10-26 23:00:54					夜间	56.6	58.2	54.8	53.2	77.9	51.4	3.5	0	2	9	11
备注	昼间 (6:00~22:00) 夜间 (22:00~6:00)。																	

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测时间	经纬度	路段 名称	路段起止 点	路段长度	检测时段及结果								车流量, 辆/20min			
							时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}	SD	大型车	中型车	小型车	合计
10	马记手抓	2017-10-25 11:45:24	E:107°17'50.67" N:36°34'20.37"	兴隆 路	康居路-环 江大道中 段	248m	昼间	66.2	68.8	611.5	56.8	85.6	52.1	4.5	14	11	241	266
		2017-10-25 23:26:05					夜间	49.1	53.7	43.0	36.9	65.6	30.0	6.0	0	1	82	83
11	翼龙路	2017-10-25 14:30:09	E:107°18'05.25" N:36°34'05.08"	翼龙 路	G211-兴政 路	600m	昼间	67.8	70.4	59.1	49.9	91.6	38.0	8.3	2	4	53	59
		2017-10-26 22:09:34					夜间	55.4	55.9	50.3	48.2	80.9	46.4	3.8	1	1	20	22
12	广场路口	2017-10-26 8:01:53	E:107°17'57.92" N:36°33'53.35"	滨河 北路	翼龙路-广 场路	182m	昼间	67.9	67.6	57.11	47.9	90.1	41.7	8.1	43	38	214	295
		2017-10-25 22:34:26					夜间	51.8	54.8	45.4	37.7	72.2	31.7	6.9	24	15	102	141
13	盛源房地 产开发有 限公司	2017-10-25 16:59:00	E:107°18'35.23" N:36°34'11.04"	东台 路	陵园路-无 名道路	477m	昼间	69.1	70.7	56.0	48.4	93.0	43.1	8.9	0	0	27	27
		2017-10-26 00:31:01					夜间	51.6	50.0	40.0	29.7	79.9	25.4	8.2	0	0	11	11
14	环县人民医院	2017-10-25 16:06:28	E:107°18'24.17" N:36°34'01.24"	环州 北路	文化路-广 场路	500m	昼间	67.8	68.8	61.4	53.6	90.8	43.5	6.6	0	8	160	168
		2017-10-25 22:43:18					夜间	54.1	57.2	48.0	39.4	74.4	33.1	7.0	0	3	80	83
15	文化路	2017-10-26 10:05:13	E:107°18'15.94" N:36°33'54.85"	文化 路	环江大道 中段-兴政 路	108m	昼间	62.1	64.9	60.5	56.0	79.5	51.3	3.9	0	6	132	138
		2017-10-25 22:57:54					夜间	52.7	56.8	47.2	40.1	66.6	31.4	6.5	0	0	40	40
16	环城初中 附近	2017-10-25 17:58:57	E:107°18'48.40" N:36°33'56.18"	东台 路	东台中路- 上台路	1000m	昼间	69.0	64.6	55.5	47.8	93.1	42.3	7.8	10	0	45	55
		2017-10-27 23:07:33					夜间	53.6	55.3	53.1	51.4	67.7	49.6	2.5	4	0	21	25
17	园丁园小 区	2017-10-25 16:52:08	E:107°18'30.74" N:36°35'45.80"	文昌 路	环州北路- 环江大道	1000m	昼间	65.5	66.9	61.9	58.3	91.2	52.6	4.4	1	3	94	98
		2017-10-27 00:25:15					夜间	57.4	59.4	55.5	53.8	74.0	52.2	3.5	1	1	50	52
18	蜀玖香	2017-10-25 14:11:30	E:107°18'28.92" N:39°22'17.56"	G211 国道	文昌路-敬 业路	460m	昼间	71.7	72.2	64.2	48.5	96.0	41.3	9.0	63	40	310	413
		2017-10-27 02:37:53					夜间	51.8	54.4	39.9	33.1	80.6	29.7	8.2	41	14	112	167
备注	昼间 (6:00~22:00) 夜间 (22:00~6:00)。																	

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测时间	经纬度	路段 名称	路段起止 点	路段长度	检测时段及结果										车流量, 辆/20min			
							时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}	SD	大型车	中型车	小型车	合计		
19	刘家湾	2017-10-25 17:16:20	E:107°18'53.04" N:36°33'36.29"	环洲路	南环路-敬 业路	857m	昼间	63.3	66.9	59.9	54.5	85.1	44.8	5.3	4	7	137	148		
		2017-10-25 22:31:58					夜间	53.1	54.7	45.5	36.4	77.0	27.4	7.1	2	1	43	46		
20	埡沟附近	2017-10-25 15:35:21	E:107°19'04.01" N:36°33'34.67"	南环路	环洲北路- 东台路	300m	昼间	68.2	68.9	57.0	49.6	92.6	42.0	7.8	15	0	57	72		
		2017-10-27 23:40:16					夜间	54.9	56.6	53.9	51.9	72.1	50.0	2.4	11	0	36	47		
21	环江煤场	2017-10-25 17:18:51	E:107°18'48.78" N:36°33'20.52"	南环路	环江大道 南段-滨河 南路	420m	昼间	61.1	63.6	57.1	53.5	79.9	50.3	3.9	1	1	79	81		
		2017-10-25 23:04:50					夜间	46.9	49.8	42.1	33.7	65.9	30.0	5.9	1	1	29	31		
22	环江煤场	2017-10-25 17:55:31	E:107°18'40.25" N:36°33'61.72"	滨河路	南环路-甜 水路	430m	昼间	69.8	69.9	60.9	52.0	92.2	39.4	7.5	21	3	140	164		
		2017-10-26 22:16:52					夜间	55.9	58.3	54.6	52.8	65.9	50.8	2.1	15	1	54	70		
23	检察院	2017-10-26 14:16:06	E:107°19'02.48" N:36°33'07.04"	甜水路	环江大道 南段-滨河 南路	480m	昼间	57.4	60.2	55.1	52.2	73.5	48.8	4.1	1	3	48	52		
		2017-10-27 01:24:41					夜间	51.0	51.4	38.2	33.2	82.9	30.0	7.5	0	0	14	14		
24	新天地项 目	2017-10-26 11:03:10	E:107°19'11.31" N:36°32'56.82"	山河路	振兴路-滨 河南路	260m	昼间	62.2	65.0	60.6	56.1	78.6	51.8	4.1	2	0	23	25		
		2017-10-27 01:23:36					夜间	57.0	59.8	54.7	52.8	75.7	50.5	3.8	1	1	12	14		
25	鄂家湾	2017-10-26 09:00:23	E:107°19'50.20" N:36°33'07.63"	环州南 路	山城路-德 盛商业步 行街	500m	昼间	66.0	67.6	57.6	48.6	87.5	42.1	7.8	1	2	52	55		
		2017-10-27 00:59:47					夜间	57.0	58.5	55.0	53.3	78.5	51.2	2.8	1	3	25	29		
26	南关幼儿 园	2017-10-26 15:01:47	E:107°19'25.46" N:36°32'42.66"	洪德路	环江大道 南段-滨河 南路	300m	昼间	57.5	59.5	55.6	53.9	73.6	51.9	2.8	1	8	42	51		
		2017-10-27 03:22:37					夜间	52.8	57.9	43.1	32.1	72.6	29.3	9.7	0	2	18	20		
27	环城镇鲁 家寨	2017-10-27 16:17:42	E:107°19'41.99" N:36°32'42.26"	环江大 道南端	小康路-木 钵路	618m	昼间	59.3	60.6	51.8	46.2	80.2	41.0	6.2	0	0	46	46		
		2017-10-27 22:53:09					夜间	53.0	55.7	45.7	37.7	73.4	27.8	7.1	0	0	16	16		
备注	昼间 (6:00~22:00) 夜间 (22:00~6:00)。																			

甘肃中德检验检测技术有限公司

№ IR (2017) HJ0235

网格 代码	测点名称	检测时间	经纬度	路段 名称	路段起止点	路段长度	检测时段及结果								车流量, 辆/20min			
							时段	Leq	L ₁₀	L ₅₀	L ₉₀	L _{max}	L _{min}	SD	大型车	中型车	小型车	合计
28	滨河路	2017-10-27 15:53:11	E:107°19'31.90" N:36°32'26.75"	滨河路	木钵路-小康路	608m	昼间	59.7	62.4	53.3	48.6	76.5	42.7	5.9	6	2	18	24
		2017-10-25 23:04:47					夜间	53.0	56.6	47.3	39.7	72.0	32.2	6.7	3	0	8	11
29	消防队	2017-10-26 17:09:42	E:107°19'44.90" N:36°32'30.76"	消防队门前路	环江大道南端-滨河南路	548m	昼间	55.9	56.9	53.5	51.9	75.6	50.0	3.7	2	0	12	14
		2017-10-26 00:09:54					夜间	44.8	48.6	41.7	34.8	55.8	30.0	5.2	0	0	1	1
30	鲁家寨	2017-10-26 14:13:11	E:107°26'12.01" N:36°32'33.35"	G211国道	木钵路-曲子路	530m	昼间	71.5	72.7	56.5	45.1	96.5	38.2	10.6	76	13	198	287
		2017-10-25 22:09:58					夜间	56.7	55.8	43.8	36.2	78.0	28.5	8.2	34	8	77	119
31	黄场子	2017-10-26 16:02:51	E:107°21'08.27" N:36°32'01.27"	G211国道	天池路-演武路	630m	昼间	67.9	71.1	61.9	52.3	86.7	44.7	6.7	66	16	191	273
		2017-10-26 22:41:14					夜间	55.0	56.2	53.1	51.5	75.3	49.2	2.2	40	7	73	120
32	高寨村永胜街厂路牌	2017-10-27 14:57:22	E:107°21'57.14" N:36°31'02.62"	G211国道	小南沟路-城南南路	280m	昼间	57.6	59.2	55.5	53.8	91.0	51.0	2.8	122	0	164	286
		2017-10-28 00:18:52					夜间	54.0	55.4	53.5	52.3	72.8	50.4	1.4	97	0	104	201
33	高寨村	2017-10-26 18:20:02	E:107°22'11.44" N:36°30'36.37"	城南南路	环江大道南端-上善路	100m	昼间	56.6	59.2	54.9	53.1	73.2	50.7	3.6	0	0	7	7
		2017-10-27 22:13:47					夜间	48.0	48.8	46.8	45.7	64.9	43.8	2.3	0	0	3	3
34	G211国道	2017-10-25 14:57:43	E:107°23'12.97" N:36°29'50.94"	G211国道	产业二路-上善路	1.1km	昼间	65.0	67.0	61.8	58.2	87.8	52.6	3.9	82	56	282	420
		2017-10-27 00:47:27					夜间	52.9	58.4	43.1	32.4	71.9	29.6	9.6	45	20	131	196
备注	昼间 (6:00-22:00) 夜间 (22:00-6:00)。																	

以下页空白

主检: 李丽

审核:

金清建

批准:

④必考

此页无正文

付公册本封脉封封密中康付

(口西千慈風家戶) 902部大計列五和商市理美 景世

3395288-4590 谷部

9003288-4590 高部

000847 周部